

**285**  
**PILOT**

Viking  Marin



Viking  Marin

**285**  
**PILOT**



**285**  
**PILOT**





## STANDARD EQUIPMENT

### CONSTRUCTION

- Designed by John R. Moxham
- Deep V forward, 23 dead rise aft
- Hand laid GRP with E-glass Biaxial combination (0/90/mat) with isophthalic gel coat and isophthalic polyester resin
- Transverse and longitudinal strengthening stringers
- Antifouling

### DECK

- 6 deck cleats in stainless steel
- 10 Kg anchor, 50 m galvanized chain (6 mm)
- Electric winch and capstan 12V with deck and main helm controls
- Self draining chain locker
- 3 x stowage lockers at fore deck
- Front facing seating
- Stainless steel guard and handrails
- Anti slip deck
- IMCO navigation lights
- 2 windscreen wipers 12V
- 4 fenders and 4 warps
- Remote control searchlight

### SALOON

- Dining table, stowaway to ceiling
- L shaped Seating group
- Bench seat with reversible backrest and stowage under
- Lazarette under saloon with access door
- Sliding entrance doors from Starboard

and Port Decks

- Overhead halogen lighting 12V
- Main switch panel (AC/DC)
- Lacquered mahogany interior finish
- Planked mahogany flooring
- Opening Tempered Glass stern window
- Tempered glass Windscreen and side windows
- Radio/CD player and speakers
- Roller blinds
- Portable fire extinguisher

### GALLEY

- Side cabinet with folding cover
- Corian worktop
- Stainless steel sink
- Mix water tap
- Refrigerator 12V
- 2 Ring stainless steel gas hob
- Removable floor locker
- 240V AC socket

### FORE CABIN

- Fully upholstered V berth with stowage under
- Carpeted flooring
- Hanging wardrobe at entrance
- Overhead halogen lighting 12 V
- Reading lamps
- Deck hatch
- Fully lined ceiling and walls
- Wall shelves
- Portable fire extinguisher

### AFT CABIN

- Fully upholstered double bed
- Overhead halogen lighting 12 V
- Reading Lamps
- Opening porthole
- Carpeted flooring
- Fully lined ceiling and walls
- Hanging wardrobe
- Portable fire extinguisher

### MAIN HELM POSITION

- Bench seat for two, with reversible backrest and stowage under
- SS foot rest
- Hydraulic steering
- Compass
- Instrument gauges
- Engine instrumentation
- Horn
- Bilge pump controls
- Cigarette lighter
- Searchlight control
- Engine remote control levers
- Trim tab control
- Windlass control

### SPORTS BRIDGE HELM POSITION

- Deflection screen (Acrylic)
- Hydraulic steering
- Compass
- Engine instrumentation
- Engine remote control levers
- Horn

- Trim tab control
- 2x adjustable helm seat with cushions
- Instrument panel cover
- SS foot rest

### SHOWER ROOM AND TOILET

- Manuel sea toilet
- Molded wash basin with Corian top and cabinet under
- Stowage shelves
- Mix tap with shower
- Teak grating on floor
- Shaver socket 240V
- Mirror
- Towel rails, toilet paper holder
- Overhead halogen lighting 12V

### AFT DECK

- 240V AC shore connection with 15 m cable
- Self draining
- 4 x water tight lockers at port and starboard
- 2 x watertight lockers at transom
- SS ladder with teak treads to Fly helm
- Transom safety door
- Engine access hatch

### BATHING PLATFORM

- Hot-cold shower
- Stainless steel swimming ladder

### ELECTRICAL SYSTEM

- 12V DC electric panel
- 240V AC electric panel
- Generator / Shore connection system monitoring panel
- GEL Battery for engine starting 12V (135 Ah)
- GEL Batteries for domestic power 12V(2 x 135 Ah )
- 3 x Battery switches for Engine, Domesticbatteries and emergency parallel
- 45 amp Battery charger for 12V circuit
- 240V outlet sockets throughout the boat
- 240V grounding system

### SALOON LAZARETTE

- Stainless steel fuel tanks ( 2x 300 lt)
- Stainless steel fresh water tank (250 lt)
- GRP Holding Tank (60 lt)
- Water Pressure pump
- Calorifier, 22 lt with immersion heater
- Battery Charger

### ENGINE COMPARTMENT & ANCILLARIES

- Main engine options
- Separate fuel filter water separator for each engine
- Sound insulation
- Automatic fire extinguisher system
- 2 x automatic bilge pumps
- 2 x extractor fans 12V

### UNDERWATER GEAR

- Bronze I brackets
- Stainless steel shafts
- Drip less shaftlogs
- Bronze rudders
- Seawater strainers for main engines
- Seacocks on all underwater fittings
- Hydraulic trim tabs
- Full cathodic bonding system to zinc anodes

## TECHNICAL SPECIFICATIONS 285 PILOT

Certification	CE	Draft	0.90 m
Boat Building Category	B	Headroom	1.9 m
Building Materials	GRP	Displacement (Full Load)	7,1 tons
Length Overall (LOA)	9.20 m	Fuel Tank Capacity	2x300 lt.
Hull Length (ISO 8666)	8.53 m	Fuel Settlement Tank	30 lt.
Waterline Length (LWL)	7.70 m	Fresh Water Tank Capacity	250 lt.
Beam Overall (BOA)	3.31 m	Holding Tank Capacity	60 lt.
Beam at Waterline (BWL)	2.88 m		

ENGINE OPTIONS (POWERED BY YANMAR)	Single Engine	125 hp - 315 hp
	Twin Engine	2x125 hp - 2x260 hp

